


710,720 STAINLESS STEEL SUPPLY GRILLES & REGISTERS



FINISH:

- FRAMES: #4 POLISHED FINISH
- BLADES: 2B FINISH

MATERIAL:


- FRAMES & BLADES: #304 STAINLESS STEEL

OPTION:


- C/W STAINLESS STEEL OPPOSED BLADE DAMPER(MILL FINISH) SPECIFY 710DSS OR 720DSS

CORE STYLES:

- 710/L
- 710/S



- 720/L
- 720/S




NOTE:


- STANDARD CONSTRUCTION WITH A MULLION: A MULLION IS PROVIDED WHEN NOMINAL SIZE GRILLE DIMENSIONS EXCEED 24" (610). FOR UNEVEN NOMINAL SIZE GRILLE DIMENSION. EG. 45" X 6", THE MULLION IS POSITIONED 1/2" (13) FROM THE CENTRE OF THE GRILLE.
- LOUVRE BLADES - INDIVIDUALLY ADJUSTABLE.
- TYPE A FASTENING - COUNTERSUNK SCREW HOLES FOR NO.8 S.M.S. S/S PER FACTORY STANDARD. (SCREWS SUPPLIED)
- AVAILABLE SIZES - MIN.= 6" X 4" (152 X 102) MAX. ONE PIECE CONSTRUCTION 48" X 48" (1219 X 1219)
- OVERSIZE UNITS AVAILABLE C/W DUCT MOUNTING CHANNEL.
- BLADE ORIENTATION - FRONT SET
 - L = PARALLEL TO LONG DIMENSION
 - S = PARALLEL TO SHORT DIMENSION.

BORDERS:

- F FLAT




- N NARROW




MOUNTING FRAMES:

- D




- T



ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.


PROJECT:		PRICE [®]	
ENGINEER:		<i>MG</i>	710/720 STAINLESS STEEL SUPPLY GRILLES & REGISTERS
CUSTOMER:		219771	
SUBMITTAL DATE:	SPEC. SYMBOL:	2013/05/29	

730,735 STAINLESS STEEL RETURN GRILLES & REGISTERS




BORDERS:

F FLAT



N NARROW



FINISH:

- FRAMES: #4 POLISHED FINISH
- BLADES: 2B FINISH

MATERIAL:

- FRAMES & BLADES: #304 STAINLESS STEEL

OPTIONS:


- C/W STAINLESS STEEL OPPOSED BLADE DAMPER (MILL FINISH) SPECIFY 730DSS OR 735DSS

NOTE:


- TYPE A FASTENING – COUNTERSUNK SCREW HOLES FOR NO.8 S.M.S. S/S PER FACTORY STANDARD. (SCREWS SUPPLIED)
- AVAILABLE SIZES – MIN.= 6" X 4" (152 X 102) MAX. ONE PIECE CONSTRUCTION 48" X 48" (1219 X 1219)
- OVERSIZE UNITS AVAILABLE C/W DUCT MOUNTING CHANNEL.
- BLADE ORIENTATION – FRONT SET
 - L = PARALLEL TO LONG DIMENSION
 - S = PARALLEL TO SHORT DIMENSION.

MOUNTING FRAMES:

D




T



CORE STYLES:


730/L

730/S



735/L

735/S



ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT:

ENGINEER:

CUSTOMER:

SUBMITTAL DATE:


SPEC. SYMBOL:



MJ
219780
2013/05/29

730/735
STAINLESS STEEL RETURN GRILLES & REGISTERS

730FF,735FF STAINLESS STEEL FILTER GRILLES



□ **TB TEE BAR**




CORE STYLES:

□ **730/L**

□ **735/L**

□ **730/S**

□ **735/S**



FINISH:

- GRILLE FRAMES-#4
- BLADES-2B

MATERIAL:

- 304 STAINLESS STEEL


NOTES:

- MOUNTING HOLES IN FILTER FRAME BY INSTALLER
- QUARTER TURN FASTENER (Q) LOCATION PER FACTORY STANDARD
- THE FILTER FRAME IS DESIGNED TO TAKE
 - 1" (25)
 - 2" (51)
- THICK FILTER. FILTERS ARE SUPPLIED BY OTHERS
- MIN. SIZE - 6" X 4" (152 X 102)
- MAX. SIZE - 48" X 48" (1219 X 1219)
- BLADE ORIENTATION-
 - L = PARALLEL TO LONG DIMENSION
 - S = PARALLEL TO SHORT DIMENSION

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT:		PRICE®	
ENGINEER:			730FF, 735FF
CUSTOMER:		222010	STAINLESS STEEL FILTER GRILLES
SUBMITTAL DATE:	SPEC. SYMBOL:	2013/10/10	

710Z RETURN AIR GRILLE ZERO° DEFLECTION



MATERIAL:

- STAINLESS STEEL CONSTRUCTION

FINISH:

- FRAMES #4 POLISHED FINISH
- BLADES 2B FINISH


NOTES:

- STANDARD BLADE MULLION NOT TO EXCEED 24(609) O/C. MAX.
- TYPE A COUNTERSUNK SCREW MOUNTING WITH #8-S.M.S. - PER FACTORY STANDARD
- FOR ALTERNATE FASTENING & MOUNTING FRAME OPTIONS - REFER TO GENERAL SUPPLY GRILLE SUBMITTAL
- BLADES FIXED AT 0° DEFLECTION.
- 710Z/F/L TYPE SHOWN ABOVE
- MINIMUM - 6 x 4 (152 x 102)
- MAXIMUM - 48" x 48" (1219 x 1219)
- FACTORY TOLERANCE $\pm 1/32 (1)$




OPTIONS:

- 710Z/F/L - BLADES PARALLEL TO LONG DIMENSION
- 710Z/F/S - BLADES PARALLEL TO SHORT DIMENSION

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT:		PRICE [®]	
ENGINEER:		 240332	710Z STAINLESS STEEL RETURN AIR GRILLE ZERO° DEFLECTION
CUSTOMER:			
SUBMITTAL DATE:	SPEC. SYMBOL:	SEP 2012	

710ZDSS RETURN AIR REGISTER



VCS3SS
STAINLESS STEEL OPPOSED
BLADE DAMPER ATTACHED

MATERIAL:

- GRILLE – STAINLESS STEEL CONSTRUCTION
- VCS3SS – STAINLESS STEEL OPPOSED BLADE DAMPER

FINISH:

- FRAMES #4 POLISHED FINISH
- BLADES 2B FINISH


NOTES:

- STANDARD BLADE MULLION NOT TO EXCEED 24" (610) O/C MAX.
- TYPE A COUNTERSUNK SCREW MOUNTING WITH #8 S.M.S. – PER FACTORY STANDARD
- FOR ALTERNATE FASTENING & MOUNTING FRAME OPTIONS – REFER TO GENERAL SUPPLY GRILLE SUBMITTAL
- 710ZD/F/L TYPE SHOWN ABOVE
- MINIMUM – 6" x 4" (152 x 102)
- MAXIMUM – 48" x 48" (1219 x 1219)
- FACTORY TOLERANCE ± 1/32 (1)

OPTIONS:

- 710ZD/F/L – BLADES PARALLEL TO LONG DIMENSION
- 710ZD/F/S – BLADES PARALLEL TO SHORT DIMENSION

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT:		PRICE [®]	
ENGINEER:			710ZDSS STAINLESS STEEL RETURN AIR REGISTER ZERO° DEFLECTION
CUSTOMER:			
SUBMITTAL DATE:	SPEC. SYMBOL:	SEP 2012	

