

**CEA - CRITICAL ENVIRONMENTS ACCESSORIES
INDEX**

ACCESSORY

HARDWARE 2

EQUALIZATION BAFFLE 3 - 5

FACE ASSEMBLY 6 - 10

DAMPER 11

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

| | | | |
|------------------------|----------------------|---------------------------|-------------------------------------------------------|
| PROJECT: | | PRICE [®] | |
| ENGINEER: | | <i>KC</i> | CEA CRITICAL ENVIRONMENTS ACCESSORIES |
| CUSTOMER: | | | |
| SUBMITTAL DATE: | SPEC. SYMBOL: | SEPT 2021 | |

**CEA - CRITICAL ENVIRONMENTS ACCESSORIES
HARDWARE**

BACK TO INDEX



FOR:
ALL DIFFUSERS

- SAFETY RETAINER CABLE
(P/N 037200-002)

FOR:
LFDC-1-X, RFDC-1-X



- FILTER RETAINER THUMB SCREW
(P/N 032663-001)

FOR:
ALL DIFFUSERS



- QUARTER TURN STUD
(P/N 041747-002)

FOR:
ULFD-1-X




- FILTER RETAINER SCREW
(P/N 031968-003)



- QUARTER TURN RECEPTACLE
(P/N 041746-001)

FOR:
LFDC-1-X, RFDC-1-X, ULFD-1-X



- FILTER RETAINER TAB
(P/N 900021-001)

FOR: LFD-1-X






- FACE ACCESS PLUG - AL FACE
(P/N 041680-003)
- FACE ACCESS PLUG - SS FACE
(P/N 041680-001)

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

| | | |
|------------------------|--|-------------------------------------------------|
| PROJECT: | | PRICE |
| ENGINEER: | | |
| CUSTOMER: | | <i>KC</i> |
| SUBMITTAL DATE: | | 272854 |
| SPEC. SYMBOL: | | SEPT 2021 |
| | | CEA CRITICAL ENVIRONMENTS ACCESSORIES |

**CEA - CRITICAL ENVIRONMENTS ACCESSORIES
EQUALIZATION BAFFLE - (LFD-1-X)**

BACK TO INDEX





| ALUMINUM | | | |
|--------------------------|------------|---------|------------|
| NOMINAL SIZE | | P/N | |
| WIDTH (W) | LENGTH (L) | | |
| <input type="checkbox"/> | 12 | 24 | 266930-001 |
| <input type="checkbox"/> | 12 | 36 | 266930-002 |
| <input type="checkbox"/> | 12 | 48 | 266930-003 |
| <input type="checkbox"/> | 12 | 60 | 266930-004 |
| <input type="checkbox"/> | 12 | 72 | 266930-005 |
| <input type="checkbox"/> | 24 | 24 | 266930-006 |
| <input type="checkbox"/> | 24 | 36 | 266930-007 |
| <input type="checkbox"/> | 24 | 48 | 266930-008 |
| <input type="checkbox"/> | 24 | 60 | 266930-009 |
| <input type="checkbox"/> | 24 | 72 | 266930-010 |
| <input type="checkbox"/> | 300 mm | 600 mm | 269071-001 |
| <input type="checkbox"/> | 300 mm | 900 mm | 269071-002 |
| <input type="checkbox"/> | 300 mm | 1200 mm | 269071-003 |
| <input type="checkbox"/> | 300 mm | 1500 mm | 269071-004 |
| <input type="checkbox"/> | 300 mm | 1800 mm | 269071-005 |
| <input type="checkbox"/> | 600 mm | 600 mm | 269071-006 |
| <input type="checkbox"/> | 600 mm | 900 mm | 269071-007 |
| <input type="checkbox"/> | 600 mm | 1200 mm | 269071-008 |
| <input type="checkbox"/> | 600 mm | 1500 mm | 269071-009 |
| <input type="checkbox"/> | 600 mm | 1800 mm | 269071-010 |

| STAINLESS STEEL | | | |
|--------------------------|------------|---------|------------|
| NOMINAL SIZE | | P/N | |
| WIDTH (W) | LENGTH (L) | | |
| <input type="checkbox"/> | 12 | 24 | 266929-001 |
| <input type="checkbox"/> | 12 | 36 | 266929-002 |
| <input type="checkbox"/> | 12 | 48 | 266929-003 |
| <input type="checkbox"/> | 12 | 60 | 266929-004 |
| <input type="checkbox"/> | 12 | 72 | 266929-005 |
| <input type="checkbox"/> | 24 | 24 | 266929-006 |
| <input type="checkbox"/> | 24 | 36 | 266929-007 |
| <input type="checkbox"/> | 24 | 48 | 266929-008 |
| <input type="checkbox"/> | 24 | 60 | 266929-009 |
| <input type="checkbox"/> | 24 | 72 | 266929-010 |
| <input type="checkbox"/> | 300 mm | 600 mm | 269072-001 |
| <input type="checkbox"/> | 300 mm | 900 mm | 269072-002 |
| <input type="checkbox"/> | 300 mm | 1200 mm | 269072-003 |
| <input type="checkbox"/> | 300 mm | 1500 mm | 269072-004 |
| <input type="checkbox"/> | 300 mm | 1800 mm | 269072-005 |
| <input type="checkbox"/> | 600 mm | 600 mm | 269072-006 |
| <input type="checkbox"/> | 600 mm | 900 mm | 269072-007 |
| <input type="checkbox"/> | 600 mm | 1200 mm | 269072-008 |
| <input type="checkbox"/> | 600 mm | 1500 mm | 269072-009 |
| <input type="checkbox"/> | 600 mm | 1800 mm | 269072-010 |

- ALUMINUM CONSTRUCTION
- B12 - STANDARD WHITE FINISH




- STAINLESS STEEL CONSTRUCTION
- #4 - BRUSHED STAINLESS FINISH

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

| | | |
|------------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PROJECT: | |   CEA CRITICAL ENVIRONMENTS ACCESSORIES |
| ENGINEER: | | |
| CUSTOMER: | | |
| SUBMITTAL DATE: | SPEC. SYMBOL: | |
| | | 272854 |
| | | SEPT 2021 |

**CEA - CRITICAL ENVIRONMENTS ACCESSORIES
EQUALIZATION BAFFLE - (LFDC-1-X, RFDC-1-X)**

BACK TO INDEX



| ALUMINUM | | | |
|--------------------------|------------|------------------------------|------------|
| NOMINAL SIZE | | AEROSOL INJECTION PORT (INJ) | P/N |
| WIDTH (W) | LENGTH (L) | | |
| <input type="checkbox"/> | 24 | - | 271402-001 |
| <input type="checkbox"/> | 24 | INJ | 271402-002 |
| <input type="checkbox"/> | 24 | - | 271402-003 |
| <input type="checkbox"/> | | 36 | INJ |
| <input type="checkbox"/> | 24 | - | 271402-005 |
| <input type="checkbox"/> | | 48 | INJ |
| <input type="checkbox"/> | 12 | - | 271402-007 |

- ALUMINUM CONSTRUCTION
- B12 - STANDARD WHITE FINISH
- INJ - FOR UNITS WITH AEROSOL INJECTION SYSTEMS

| STAINLESS STEEL | | | |
|--------------------------|------------|------------------------------|------------|
| NOMINAL SIZE | | AEROSOL INJECTION PORT (INJ) | P/N |
| WIDTH (W) | LENGTH (L) | | |
| <input type="checkbox"/> | 24 | - | 271403-001 |
| <input type="checkbox"/> | 24 | INJ | 271403-002 |
| <input type="checkbox"/> | 24 | - | 271403-003 |
| <input type="checkbox"/> | | 36 | INJ |
| <input type="checkbox"/> | 24 | - | 271403-005 |
| <input type="checkbox"/> | | 48 | INJ |
| <input type="checkbox"/> | 12 | - | 271403-007 |




- STAINLESS STEEL CONSTRUCTION
- #4 - BRUSHED STAINLESS FINISH
- INJ - FOR UNITS WITH AEROSOL INJECTION SYSTEM

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

| | | |
|------------------------------------------------------|--|------------------|
| PROJECT: | | PRICE |
| ENGINEER: | | |
| CUSTOMER: | | KC |
| SUBMITTAL DATE: | | 272854 |
| SPEC. SYMBOL: | | SEPT 2021 |
| CEA CRITICAL ENVIRONMENTS ACCESSORIES | | |

**CEA - CRITICAL ENVIRONMENTS ACCESSORIES
EQUALIZATION BAFFLE - (RFD-1-X)**

BACK TO INDEX



| ALUMINUM | | | |
|--------------------------|------------|---------|------------|
| NOMINAL SIZE | | P/N | |
| WIDTH (W) | LENGTH (L) | | |
| <input type="checkbox"/> | 12 | 24 | 270424-001 |
| <input type="checkbox"/> | 12 | 48 | 270424-003 |
| <input type="checkbox"/> | 24 | 24 | 270424-006 |
| <input type="checkbox"/> | 24 | 48 | 270424-008 |
| <input type="checkbox"/> | 300 mm | 600 mm | 271169-001 |
| <input type="checkbox"/> | 300 mm | 1200 mm | 271169-003 |
| <input type="checkbox"/> | 600 mm | 600 mm | 271169-006 |
| <input type="checkbox"/> | 600 mm | 1200 mm | 271169-008 |

- ALUMINUM CONSTRUCTION
- B12 - STANDARD WHITE FINISH

| STAINLESS STEEL | | | |
|--------------------------|------------|---------|------------|
| NOMINAL SIZE | | P/N | |
| WIDTH (W) | LENGTH (L) | | |
| <input type="checkbox"/> | 12 | 24 | 270437-001 |
| <input type="checkbox"/> | 12 | 48 | 270437-003 |
| <input type="checkbox"/> | 24 | 24 | 270437-006 |
| <input type="checkbox"/> | 24 | 48 | 270437-008 |
| <input type="checkbox"/> | 300 mm | 600 mm | 271181-001 |
| <input type="checkbox"/> | 300 mm | 1200 mm | 271181-003 |
| <input type="checkbox"/> | 600 mm | 600 mm | 271181-006 |
| <input type="checkbox"/> | 600 mm | 1200 mm | 271181-008 |


- STAINLESS STEEL CONSTRUCTION
- #4 - BRUSHED STAINLESS FINISH

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

| | | |
|------------------------------------------------------|--|--------------|
| PROJECT: | | PRICE |
| ENGINEER: | | |
| CUSTOMER: | | <i>KC</i> |
| SUBMITTAL DATE: | | 272854 |
| SPEC. SYMBOL: | | SEPT 2021 |
| CEA CRITICAL ENVIRONMENTS ACCESSORIES | | |

**CEA - CRITICAL ENVIRONMENTS ACCESSORIES
FACE ASSEMBLY - (LFDC-1-X)**

BACK TO INDEX





| ALUMINUM | | | | |
|--------------------------|------------|---------------------------|------------|------------|
| NOMINAL SIZE | | LED INDICATOR LIGHT (LED) | P/N | |
| WIDTH (W) | LENGTH (L) | | | |
| <input type="checkbox"/> | 24 | - | 504094-001 | |
| <input type="checkbox"/> | | LED | 504094-002 | |
| <input type="checkbox"/> | 24 | - | 504005-001 | |
| <input type="checkbox"/> | | LED | 504005-002 | |
| <input type="checkbox"/> | 24 | - | 503893-001 | |
| <input type="checkbox"/> | | LED | 503893-002 | |
| <input type="checkbox"/> | 12 | - | 506875-001 | |
| <input type="checkbox"/> | | LED | 506875-002 | |
| <input type="checkbox"/> | 600 mm | 600 mm | - | 506877-001 |
| <input type="checkbox"/> | 600 mm | 600 mm | LED | 506877-002 |
| <input type="checkbox"/> | 600 mm | 1200 mm | - | 506877-003 |
| <input type="checkbox"/> | 600 mm | 1200 mm | LED | 506877-004 |

- ALUMINUM CONSTRUCTION (EXTRUDED FRAMES)
- B12 - STANDARD WHITE FINISH
- LED - FOR UNITS WITH LED INDICATOR LIGHT

| STAINLESS STEEL | | | | |
|--------------------------|------------|---------------------------|------------|------------|
| NOMINAL SIZE | | LED INDICATOR LIGHT (LED) | P/N | |
| WIDTH (W) | LENGTH (L) | | | |
| <input type="checkbox"/> | 24 | - | 504095-101 | |
| <input type="checkbox"/> | | LED | 504095-102 | |
| <input type="checkbox"/> | 24 | - | 504023-101 | |
| <input type="checkbox"/> | | LED | 504023-102 | |
| <input type="checkbox"/> | 24 | - | 503993-101 | |
| <input type="checkbox"/> | | LED | 503993-102 | |
| <input type="checkbox"/> | 12 | - | 506878-201 | |
| <input type="checkbox"/> | | LED | 506878-202 | |
| <input type="checkbox"/> | 600 mm | 600 mm | - | 506880-001 |
| <input type="checkbox"/> | 600 mm | 600 mm | LED | 506880-002 |
| <input type="checkbox"/> | 600 mm | 1200 mm | - | 506880-003 |
| <input type="checkbox"/> | 600 mm | 1200 mm | LED | 506880-004 |


- STAINLESS STEEL CONSTRUCTION - 304 PERF SCREEN & FRAMES
- FINISH:
 - #4 - BRUSHED FINISH
 - B12 - STANDARD WHITE
- LED - FOR UNITS WITH LED INDICATOR LIGHT

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

| | | |
|------------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PROJECT: | |   CEA CRITICAL ENVIRONMENTS ACCESSORIES |
| ENGINEER: | | |
| CUSTOMER: | | |
| SUBMITTAL DATE: | SPEC. SYMBOL: | |
| | | 272854 |
| | | SEPT 2021 |

**CEA - CRITICAL ENVIRONMENTS ACCESSORIES
FACE ASSEMBLY - (ULFD-1-X)**

BACK TO INDEX



| ALUMINUM | | | |
|--------------------------|------------|---------------------------|------------|
| NOMINAL SIZE | | LED INDICATOR LIGHT (LED) | P/N |
| WIDTH (W) | LENGTH (L) | | |
| <input type="checkbox"/> | 24 | - | 507164-022 |
| <input type="checkbox"/> | | LED | 507164-012 |
| <input type="checkbox"/> | 24 | - | 507164-023 |
| <input type="checkbox"/> | | LED | 507164-123 |
| <input type="checkbox"/> | 24 | - | 507164-024 |
| <input type="checkbox"/> | | LED | 507164-124 |



- ALUMINUM CONSTRUCTION (EXTRUDED FRAMES)
- TRANSLUCENT PERFORATED POLYCARBONATE DIFFUSER FACE - 13% FREE AREA
- B12 - STANDARD WHITE FINISH
- LED - FOR UNITS WITH LED INDICATOR LIGHT

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

| | | |
|------------------------|--|--------------------------------------------------|
| PROJECT: | | PRICE |
| ENGINEER: | | |
| CUSTOMER: | | <i>KC</i> |
| SUBMITTAL DATE: | | 272854 |
| SPEC. SYMBOL: | | CEA CRITICAL ENVIRONMENTS ACCESSORIES |
| | | SEPT 2021 |

**CEA - CRITICAL ENVIRONMENTS ACCESSORIES
FACE ASSEMBLY - (LFD-1-X)**

BACK TO INDEX



LED - FACE MOUNTED LED INDICATOR LIGHT (OPTIONAL)

| ALUMINUM | | | | |
|--------------------------|------------|--------------------|-------------------------------|------------|
| NOMINAL SIZE | | NO FACE ACCESS P/N | FACE ACCESS DAMPER OPTION P/N | |
| WIDTH (W) | LENGTH (L) | | | |
| <input type="checkbox"/> | 12 | 24 | 504668-001 | 504668-101 |
| <input type="checkbox"/> | 12 | 36 | 504668-002 | 504668-102 |
| <input type="checkbox"/> | 12 | 48 | 504668-003 | 504668-103 |
| <input type="checkbox"/> | 12 | 60 | 504668-004 | 504668-104 |
| <input type="checkbox"/> | 12 | 72 | 504668-005 | 504668-105 |
| <input type="checkbox"/> | 24 | 24 | 504668-006 | 504668-106 |
| <input type="checkbox"/> | 24 | 36 | 504668-007 | 504668-107 |
| <input type="checkbox"/> | 24 | 48 | 504668-008 | 504668-108 |
| <input type="checkbox"/> | 24 | 60 | 504668-009 | 504668-109 |
| <input type="checkbox"/> | 24 | 72 | 504668-010 | 504668-110 |
| <input type="checkbox"/> | 300 mm | 600 mm | 504678-001 | 504678-101 |
| <input type="checkbox"/> | 300 mm | 900 mm | 504678-002 | 504678-102 |
| <input type="checkbox"/> | 300 mm | 1200 mm | 504678-003 | 504678-103 |
| <input type="checkbox"/> | 300 mm | 1500 mm | 504678-004 | 504678-104 |
| <input type="checkbox"/> | 300 mm | 1800 mm | 504678-005 | 504678-105 |
| <input type="checkbox"/> | 600 mm | 600 mm | 504678-006 | 504678-106 |
| <input type="checkbox"/> | 600 mm | 900 mm | 504678-007 | 504678-107 |
| <input type="checkbox"/> | 600 mm | 1200 mm | 504678-008 | 504678-108 |
| <input type="checkbox"/> | 600 mm | 1500 mm | 504678-009 | 504678-109 |
| <input type="checkbox"/> | 600 mm | 1800 mm | 504678-010 | 504678-110 |

- ALUMINUM CONSTRUCTION (EXTRUDED FRAMES)
- B12 - STANDARD WHITE FINISH

| STAINLESS STEEL | | | | |
|--------------------------|------------|--------------------|-------------------------------|------------|
| NOMINAL SIZE | | NO FACE ACCESS P/N | FACE ACCESS DAMPER OPTION P/N | |
| WIDTH (W) | LENGTH (L) | | | |
| <input type="checkbox"/> | 12 | 24 | 504664-001 | 504664-101 |
| <input type="checkbox"/> | 12 | 36 | 504664-002 | 504664-102 |
| <input type="checkbox"/> | 12 | 48 | 504664-003 | 504664-103 |
| <input type="checkbox"/> | 12 | 60 | 504664-004 | 504664-104 |
| <input type="checkbox"/> | 12 | 72 | 504664-005 | 504664-105 |
| <input type="checkbox"/> | 24 | 24 | 504664-006 | 504664-106 |
| <input type="checkbox"/> | 24 | 36 | 504664-007 | 504664-107 |
| <input type="checkbox"/> | 24 | 48 | 504664-008 | 504664-108 |
| <input type="checkbox"/> | 24 | 60 | 504664-009 | 504664-109 |
| <input type="checkbox"/> | 24 | 72 | 504664-010 | 504664-110 |
| <input type="checkbox"/> | 300 mm | 600 mm | 505681-001 | 505681-101 |
| <input type="checkbox"/> | 300 mm | 900 mm | 505681-002 | 505681-102 |
| <input type="checkbox"/> | 300 mm | 1200 mm | 505681-003 | 505681-103 |
| <input type="checkbox"/> | 300 mm | 1500 mm | 505681-004 | 505681-104 |
| <input type="checkbox"/> | 300 mm | 1800 mm | 505681-005 | 505681-105 |
| <input type="checkbox"/> | 600 mm | 600 mm | 505681-006 | 505681-106 |
| <input type="checkbox"/> | 600 mm | 900 mm | 505681-007 | 505681-107 |
| <input type="checkbox"/> | 600 mm | 1200 mm | 505681-008 | 505681-108 |
| <input type="checkbox"/> | 600 mm | 1500 mm | 505681-009 | 505681-109 |
| <input type="checkbox"/> | 600 mm | 1800 mm | 505681-010 | 505681-110 |




- STAINLESS STEEL CONSTRUCTION - 304 PERF SCREEN & FRAMES
- FINISH:
 #4 - BRUSHED FINISH
 B12 - STANDARD WHITE

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

| | | | |
|------------------------|----------------------|---------------------------|-------------------------------------------------|
| PROJECT: | | 272854 | CEA CRITICAL ENVIRONMENTS ACCESSORIES |
| ENGINEER: | | | |
| CUSTOMER: | | | |
| SUBMITTAL DATE: | SPEC. SYMBOL: | | |

**CEA - CRITICAL ENVIRONMENTS ACCESSORIES
HOOD ASSEMBLY - 2WAY - (RFD-1-X, RFDC-1-X)**

BACK TO INDEX



| ALUMINUM | | |
|---------------------------------|------------|------------|
| NOMINAL SIZE | | P/N |
| WIDTH (W) | LENGTH (L) | |
| <input type="checkbox"/> 24 | 24 | 506366-003 |
| <input type="checkbox"/> 24 | 48 | 506366-004 |
| <input type="checkbox"/> 600 mm | 600 mm | 506382-003 |
| <input type="checkbox"/> 600 mm | 1200 mm | 506382-004 |

| STAINLESS STEEL | | |
|---------------------------------|------------|------------|
| NOMINAL SIZE | | P/N |
| WIDTH (W) | LENGTH (L) | |
| <input type="checkbox"/> 24 | 24 | 506371-003 |
| <input type="checkbox"/> 24 | 48 | 506371-004 |
| <input type="checkbox"/> 600 mm | 600 mm | 506765-003 |
| <input type="checkbox"/> 600 mm | 1200 mm | 506765-004 |




- ALUMINUM CONSTRUCTION
- B12 - STANDARD WHITE FINISH
- STAINLESS STEEL CONSTRUCTION - 304 PERF SCREEN & FRAMES
- FINISH:
 - #4 - BRUSHED FINISH
 - B12 - STANDARD WHITE

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.


| | | |
|------------------------------------------------------|--|--------------|
| PROJECT: | | PRICE |
| ENGINEER: | | |
| CUSTOMER: | | <i>KC</i> |
| SUBMITTAL DATE: | | 272854 |
| SPEC. SYMBOL: | | SEPT 2021 |
| CEA CRITICAL ENVIRONMENTS ACCESSORIES | | |

**CEA - CRITICAL ENVIRONMENTS ACCESSORIES
HOOD ASSEMBLY - 1WAY - (RFD-1-X, RFDC-1-X)**

BACK TO INDEX



- SINGLE CURVE DESIGN
- WIDTH SIZES 12 & 300mm ONLY



- DUAL CURVE DESIGN
- WIDTH SIZES 24 & 600mm ONLY

| ALUMINUM | | | |
|---------------------------------|------------|------------|--|
| NOMINAL SIZE | | P/N | |
| WIDTH (W) | LENGTH (L) | | |
| <input type="checkbox"/> 24 | 24 | 506366-001 | |
| <input type="checkbox"/> 24 | 48 | 506366-002 | |
| <input type="checkbox"/> 12 | 24 | 506366-005 | |
| <input type="checkbox"/> 12 | 48 | 506366-006 | |
| <input type="checkbox"/> 600 mm | 600 mm | 506382-001 | |
| <input type="checkbox"/> 600 mm | 1200 mm | 506382-002 | |
| <input type="checkbox"/> 300 mm | 600 mm | 506382-005 | |
| <input type="checkbox"/> 300 mm | 1200 mm | 506382-006 | |

- ALUMINUM CONSTRUCTION
- B12 - STANDARD WHITE FINISH

| STAINLESS STEEL | | | |
|---------------------------------|------------|------------|--|
| NOMINAL SIZE | | P/N | |
| WIDTH (W) | LENGTH (L) | | |
| <input type="checkbox"/> 24 | 24 | 506371-001 | |
| <input type="checkbox"/> 24 | 48 | 506371-002 | |
| <input type="checkbox"/> 12 | 24 | 506371-005 | |
| <input type="checkbox"/> 12 | 48 | 506371-006 | |
| <input type="checkbox"/> 600 mm | 600 mm | 506765-001 | |
| <input type="checkbox"/> 600 mm | 1200 mm | 506765-002 | |
| <input type="checkbox"/> 300 mm | 600 mm | 506765-005 | |
| <input type="checkbox"/> 300 mm | 1200 mm | 506765-006 | |

- STAINLESS STEEL CONSTRUCTION - 304 PERF
SCREEN & FRAMES


- FINISH:
 #4 - BRUSHED FINISH
 B12 - STANDARD WHITE

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

| | | | |
|------------------------|----------------------|---------------------------|-------------------------------------------------|
| PROJECT: | | 272854 | CEA CRITICAL ENVIRONMENTS ACCESSORIES |
| ENGINEER: | | | |
| CUSTOMER: | | | |
| SUBMITTAL DATE: | SPEC. SYMBOL: | | |

**CEA - CRITICAL ENVIRONMENTS ACCESSORIES
DAMPER - (LFD-1-X, RFD-1-X)**

BACK TO INDEX



*OPERATOR CABLE NOT INCLUDED WITH DAMPER



| ALUMINUM | |
|-----------------------------|------------|
| NOMINAL SIZE | P/N |
| INLET | |
| <input type="checkbox"/> 6 | 255155-006 |
| <input type="checkbox"/> 8 | 255155-008 |
| <input type="checkbox"/> 10 | 255155-010 |
| <input type="checkbox"/> 12 | 255155-012 |

| STAINLESS STEEL | |
|-----------------------------|------------|
| NOMINAL SIZE | P/N |
| INLET | |
| <input type="checkbox"/> 6 | 501098-006 |
| <input type="checkbox"/> 8 | 501098-008 |
| <input type="checkbox"/> 10 | 501098-010 |
| <input type="checkbox"/> 12 | 501098-012 |

- COATED STEEL OR STAINLESS STEEL MATERIAL OPTION
- DAMPER MOUNTS DIRECTLY ONTO DIFFUSER NECK
- DAMPER CONTROLS AIR VOLUME FROM FULL OPEN TO FULL CLOSED

| ALUMINUM | |
|-----------------------------|------------|
| NOMINAL SIZE | P/N |
| INLET | |
| <input type="checkbox"/> 6 | 505505-006 |
| <input type="checkbox"/> 8 | 505505-008 |
| <input type="checkbox"/> 10 | 505505-010 |
| <input type="checkbox"/> 12 | 505505-012 |

| STAINLESS STEEL | |
|-----------------------------|------------|
| NOMINAL SIZE | P/N |
| INLET | |
| <input type="checkbox"/> 6 | 505778-006 |
| <input type="checkbox"/> 8 | 505778-008 |
| <input type="checkbox"/> 10 | 505778-010 |
| <input type="checkbox"/> 12 | 505778-012 |

- COATED STEEL OR STAINLESS STEEL MATERIAL OPTION
- FACE ADJUSTABLE BUTTERFLY DAMPER - FACE ASSEMBLY MUST HAVE FACE ACCESS OPTION (WITH PLUG) FOR OPERATION

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

| | | |
|------------------------------------------------------|--|--------------|
| PROJECT: | | PRICE |
| ENGINEER: | | |
| CUSTOMER: | | <i>KC</i> |
| SUBMITTAL DATE: | | 272854 |
| SPEC. SYMBOL: | | SEPT 2021 |
| CEA CRITICAL ENVIRONMENTS ACCESSORIES | | |