


CEILING PANEL HOSPITAL GRADE WELDED CEILING SYSTEM SC - SOLID CORE





PANEL MATERIAL / FINISH OPTIONS:

- □ .080" ALUMINUM / B12 STANDARD WHITE
- □ .080" ALUMINUM / B11 PURE WHITE
- □ .080" ALUMINUM / B25 CUSTOM TO MATCH
- □ .080" WASHED MILL ALUMINUM
- □ .035" STAINLESS STEEL / #4 BRUSHED

CEILING TYPE:

- HGWC - 1.5" HOSPITAL GRADE WELDED CEILING SYSTEM


NOTES:


- SOLID CORE, UNPERFORATED
- FACTORY TOLERANCE +/- 1/32 "

PROJECT:		F		
ENGINEER:		DЖ	CP CEILING PANEL	
CUSTOMER:		267785	HGWC SOLID CORE	
SUBMITTAL DATE:	REVISION: C	2018/03/01	SOLID CORE	



CEILING PANEL HOSPITAL GRADE WELDED CEILING SYSTEM SCF - SOLID CORE WITH FLUSH MOUNT FRAME





PANEL MATERIAL / FINISH OPTIONS:

- □ .040" ALUMINUM / B12 STANDARD WHITE
- □ .040" ALUMINUM / B11 PURE WHITE
- □ .040" ALUMINUM / B25 CUSTOM TO MATCH
- □ .080" WASHED MILL ALUMINUM
- $\ \square$.035" STAINLESS STEEL / #4 BRUSHED

CEILING TYPE:

- HGWC - 1.5" HOSPITAL GRADE WELDED CEILING SYSTEM


NOTES:


- SOLID CORE WITH TEGULAR FRAME FOR FLUSH MOUNT
- FACTORY TOLERANCE +/- 1/32 "

PROJECT:			Price*	
ENGINEER:		Д Ж	CP CEILING PANEL	
CUSTOMER:		267786	HGWC SOLID CORE WITH	
SUBMITTAL DATE:	REVISION: C	2018/03/01		



CEILING PANEL HOSPITAL GRADE WELDED CEILING SYSTEM SCE - SOLID CORE WITH EXTRUDED FRAME





PANEL MATERIAL / FINISH OPTIONS:

- □ .064" ALUMINUM / B12 STANDARD WHITE
- □ .064" ALUMINUM / B11 PURE WHITE
- □ .064" ALUMINUM / B25 CUSTOM TO MATCH
- □ .064" WASHED MILL ALUMINUM

CEILING TYPE:

- HGWC - 1.5" HOSPITAL GRADE WELDED CEILING SYSTEM


NOTES:


- SOLID CORE WITH ALUMINUM EXTRUDED FRAME
- FACTORY TOLERANCE +/- 1/32 "

PROJECT:		F	buce,	
ENGINEER:		Д Ж	CP CEILING PANEL	
CUSTOMER:		267787	HGWC SOLID CORE WITH	
SUBMITTAL DATE:	REVISION: C	2018/03/01		



CEILING PANEL HOSPITAL GRADE WELDED CEILING SYSTEM PCE - PERFORATED FACE WITH EXTRUDED FRAME





PANEL MATERIAL / FINISH OPTIONS:

- □ .080" ALUMINUM / B12 STANDARD WHITE
- □ .080" ALUMINUM / B11 PURE WHITE
- □ .080" ALUMINUM / B25 CUSTOM TO MATCH
- □ .080" WASHED MILL ALUMINUM

CEILING TYPE:

- HGWC - 1.5" HOSPITAL GRADE WELDED CEILING SYSTEM

PERFORATION TYPE:

- 13% FREE AREA (TO MATCH LFD, LFD3)


NOTES:


- PERFORATED CORE WITH SOLID BACK PANEL AND ALUMINUM EXTRUDED FRAME
- FACTORY TOLERANCE +/- 1/32 "

PROJECT:			buce,	
ENGINEER:		ЭК	CP CEILING PANEL	
CUSTOMER:		267788	HGWC PERFORATED FACE WITH	
SUBMITTAL DATE:	REVISION: C	2018/03/01		



CEILING PANEL HOSPITAL GRADE CEILING SYSTEM SC - SOLID CORE





PANEL MATERIAL / FINISH OPTIONS:

- □ .040" ALUMINUM / B12 STANDARD WHITE
- □ .040" ALUMINUM / B11 PURE WHITE
- $\hfill \square$.040" ALUMINUM / B25 CUSTOM TO MATCH
- □ .040" WASHED MILL ALUMINUM
- □ .035" STAINLESS STEEL / #4 BRUSHED

CEILING TYPE:

- 4732 1" HOSPITAL GRADE CEILING SYSTEM
- 4806 1.5" HOSPITAL GRADE CEILING SYSTEM

NOTES:

- SOLID CORE, UNPERFORATED
- FACTORY TOLERANCE +/- 1/32 "

PROJECT:

PROJECT:

DX CP

CELLING RANGE

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER


 CUSTOMER:
 267789


 SUBMITTAL DATE:
 REVISION: C
 2018/03/01

CEILING PANEL HGC SOLID CORE



CEILING PANEL HOSPITAL GRADE CEILING SYSTEM - STYLE 4732 (1") SCF - SOLID CORE WITH FLUSH MOUNT FRAME





PANEL MATERIAL / FINISH OPTIONS:

- □ .040" ALUMINUM / B12 STANDARD WHITE
- □ .040" ALUMINUM / B11 PURE WHITE
- □ .040" ALUMINUM / B25 CUSTOM TO MATCH
- □ .040" WASHED MILL ALUMINUM
- $\ \square \ .035$ " STAINLESS STEEL / #4 BRUSHED

CEILING TYPE:

- 4732 - 1" HOSPITAL GRADE CEILING SYSTEM

NOTES:

- SOLID CORE WITH TEGULAR FRAME FOR FLUSH MOUNT
- FACTORY TOLERANCE +/- 1/32 "

PROJECT:

Broineer:

All metric dimensions () are soft converted. Imperial dimensions are converted to metric and rounded to the nearest millimeter.

PROJECT:

DX

CP

CEILING PANEL


 CUSTOMER:
 267790


 SUBMITTAL DATE:
 REVISION: C
 2018/03/01

HGC 4732 SOLID CORE WITH FLUSH MOUNT FRAME



CEILING PANEL HOSPITAL GRADE CEILING SYSTEM - STYLE 4806 (1.5") SCF - SOLID CORE WITH FLUSH MOUNT FRAME





PANEL MATERIAL / FINISH OPTIONS:

- □ .040" ALUMINUM / B12 STANDARD WHITE
- □ .040" ALUMINUM / B11 PURE WHITE
- □ .040" ALUMINUM / B25 CUSTOM TO MATCH
- □ .040" WASHED MILL ALUMINUM
- □ .035" STAINLESS STEEL / #4 BRUSHED

CEILING TYPE:

- 4806 - 1.5" HOSPITAL GRADE CEILING SYSTEM


NOTES:


- SOLID CORE WITH TEGULAR FRAME FOR FLUSH MOUNT
- FACTORY TOLERANCE +/- 1/32 "

PROJECT:			Price®	
ENGINEER:		D S	K	CP CEILING PANEL
CUSTOMER:		2677	791	HGC 4806 SOLID CORE WITH
SUBMITTAL DATE:	REVISION: C	2018/0	3/01	



CEILING PANEL HOSPITAL GRADE CEILING SYSTEM SCAD - SOLID CORE WITH ACCESS DOOR





PANEL MATERIAL / FINISH OPTIONS:

- □ .040" ALUMINUM / B12 STANDARD WHITE
- □ .040" ALUMINUM / B11 PURE WHITE
- □ .040" ALUMINUM / B25 CUSTOM TO MATCH
- □ .040" WASHED MILL ALUMINUM
- □ .035" STAINLESS STEEL / #4 BRUSHED

CEILING TYPE:

- 4732 1" HOSPITAL GRADE CEILING SYSTEM
- 4806 1.5" HOSPITAL GRADE CEILING SYSTEM

NOTES:

- SOLID CORE WITH ACCESS DOOR
- FACTORY TOLERANCE +/- 1/32 "

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT:

ENGINEER:

CUSTOMER:

267792

SUBMITTAL DATE:


REVISION: C


2018/03/01

WITH ACCESS DOOR



CEILING PANEL HOSPITAL GRADE CEILING SYSTEM SCE - SOLID CORE WITH EXTRUDED FRAME





PANEL MATERIAL / FINISH OPTIONS:

- □ .064" ALUMINUM / B12 STANDARD WHITE
- □ .064" ALUMINUM / B11 PURE WHITE
- □ .064" ALUMINUM / B25 CUSTOM TO MATCH
- □ .064" WASHED MILL ALUMINUM

CEILING TYPE:

- 4732 1" HOSPITAL GRADE CEILING SYSTEM
- 4806 1.5" HOSPITAL GRADE CEILING SYSTEM

NOTES:

- SOLID CORE WITH ALUMINUM EXTRUDED FRAME
- FACTORY TOLERANCE +/- 1/32 "

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT:

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

THE CONVERTED TO THE NEAREST MILLIMETER.

ENGINEER:

CUSTOMER:

267793

SUBMITTAL DATE:


REVISION: C


CP

CEILING PANEL
HGC
SOLID CORE WITH
EXTRUDED FRAME



CEILING PANEL HOSPITAL GRADE CEILING SYSTEM PCE - PERFORATED FACE WITH EXTRUDED FRAME





PANEL MATERIAL / FINISH OPTIONS:

- □ .080" ALUMINUM / B12 STANDARD WHITE
- □ .080" ALUMINUM / B11 PURE WHITE
- □ .080" ALUMINUM / B25 CUSTOM TO MATCH
- □ .080" WASHED MILL ALUMINUM

CEILING TYPE:

- 4732 1" HOSPITAL GRADE CEILING SYSTEM
- 4806 1.5" HOSPITAL GRADE CEILING SYSTEM

PERFORATION TYPE:

- 13% FREE AREA (TO MATCH LFD, LFD3)

NOTES:

- PERFORATED CORE WITH SOLID BACK PANEL AND ALUMINUM EXTRUDED FRAME
- FACTORY TOLERANCE +/- 1/32 "

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT:

ENGINEER:

CUSTOMER:

267794
SUBMITTAL DATE:

REVISION: C

CP
CEILING PANEL
HGC
PERFORATED FACE WITH
EXTRUDED FRAME