

LE


LINEAR ENCLOSURE




LE

Linear Enclosure


Linear Enclosures (LE) feature heavy-gauge aluminum construction with extruded aluminum bar grilles and allow for natural convection or forced air perimeter heating. Long runs of linear enclosure, typically installed under windows along building perimeters, are supplied as multi-piece construction for clean, continuous look.



Type B
Convactor, floor-mounted



Type C
Convactor, wall-mounted



Type D
Convactor/forced air, floor-mounted

CONFIGURATIONS

Type B – Convactor, Floor-Mounted

- + Linear enclosures feature extruded aluminum bar grilles on the top and side of the enclosure, making them ideal for typical convactor applications.

Type C – Convactor, Wall-Mounted

- + Linear enclosures feature top mounted, extruded aluminum bar grilles and are ideal for wall mounted convactor applications.

Type D – Convactor/Forced Air, Floor-Mounted

- + Linear enclosures feature extruded aluminum, bar grilles along the top of the enclosure and are well suited to forced floor convactor applications with floor supply air.

CUSTOM CONSTRUCTION

- + Linear enclosures are fully customizable for unit size, grille size and style as well as paint finish and material.


TYPICAL APPLICATIONS

Custom aluminum linear enclosures provide an attractive and functional linear design suitable for enclosing hot water finned tube heat exchangers and forced air heating and ventilating units. Linear enclosures are available as floor supported, wall mounted, or free standing units, and feature Price linear bar grilles.


CONSTRUCTION

- + Configuration
 - Convactor, floor-mounted (Type B)
 - Convactor, wall-mounted (Type C)
 - Convactor/forced air, floor-mounted (Type D)

Grille styles and blade spacing



15 A (1/4 in.)



15 B (1/2 in.)




16 A (1/4 in.)



16 B (1/2 in.)



25 B (1/2 in.)



26 B (1/2 in.)



27 B (1/2 in.)



Product Improvement is a continuing endeavour at Price. Therefore, specifications are subject to change without notice. Consult your Price Sales Representative for current specifications or more detailed information. Not all products may be available in all geographic areas. All goods described in this document are warranted as described in the Limited Warranty shown at priceindustries.com. The complete Price product catalog can be viewed online at priceindustries.com.