

MANUAL – INSTALLATION

Displacement Flow In-Wall Diffuser DFW Series



DISPLACEMENT FLOW IN-WALL DIFFUSER

INSTALLATION INSTRUCTIONS

Step-by-Step Instructions READ INSTRUCTIONS COMPLETELY BEFORE STARTING

- 1. It is recommended to install the plenum box prior to drywall.
- 2. When framing an opening for a plenum box, note that the diffuser face overhangs plenum box by 3/8". For example, if in a finished state the diffuser face is required to be mounted 12" above the floor, the bottom of the plenum box needs to be installed 12 3/8" above the floor.
- 3. Install plenum box (DFW) in the wall opening. Adjust plenum depth such that the plenum protrudes a minimum of 1/8" to a maximum of 1/4" past the face of the wall stud to allow the drywall to butt up against the plenum (Figure 1). Secure plenum in place with screws (supplied by others.)







FIGURE 1 ▼

Table 1	
Item #	Description
1	Plenum x 1
2	Face x 1
3	Screws

^{*} Screws are shipped loose.



DISPLACEMENT FLOW IN-WALL DIFFUSER

INSTALLATION INSTRUCTIONS

- After the drywall has been installed and finished as required around the plenum, apply a bead of caulking along plenum wall and drywall edge to minimize air leakage.
- 5. Insert the diffuser face into the plenum. Use the supplied screws to mount the diffuser face to the plenum (Figure 3). For units supplied with a secondary baffle see Figure 4 to determine proper baffle orientation.
- 6. NOTE: Standard screws issued with DFW displacement unit are 3/4" self-drilling. These will work with 1/2" thick drywall. If drywall is thicker than 1/2", a different length screw must be requested at time of ordering.
- 7. Care should be taken not to over tighten the screws (Item 3).

FIGURE 2 ▼




FIGURE 3 ▼





FIGURE 4 ▼



This document contains the most current product information as of this printing. For the most up-to-date product information, please go to priceindustries.com

 $\hfill \ensuremath{\text{@}}$ 2018 Price Industries Limited. All rights reserved.

