


Submittal Sheet

300 Series Industrial Grilles & Registers



1 1/4" (32mm)	Grille Opening = D - 3/4" (19mm) ———————————————————————————————————
6 3/4" (171mm)	
<u>†</u>	Optional Damper D = Nominal Duct
	□ 302 - Double Deflection

Grille Overall = D + 1 3/4" (44mm)

Optional Damper	Α	В
VCS3	4 7/8" (123mm)	8 1/4" (209mm)
VCS5	5 3/8" (136mm)	8 3/4" (222mm)

MATERIAL:

- Frames: Steel
- · Airfoil Blades: Extruded Aluminum
- Hardware: Steel

FINISH:

Standard finish:

□ B12 - Standard White

Optional finishes available:

- · Optional colors
- Custom colors
- See finishes brochure for additional information Contact your Price representative for leadtimes and pricing


BLADE ORIENTATION:

- $\hfill\Box$ L Front blades parallel to long dimension
- $\hfill \square$ S Front blades parallel to short dimension

OPTIONAL DAMPER:

- □ VCS3 Coated Steel Opposed Blade Damper
- $\hfill \square$ VCS5 Heavy Duty Coated Steel Opposed Blade Damper

□ Type D
Optional Mounting Frame



FASTENING:

- □ A Countersunk screw holes
- □ 0 No mounting screw holes

NOTES:

- Available sizes:
 Min: 6" x 6" (152mm x 152mm)
 Max: 48" x 48" (1219mm x 1219mm)
- Factory tolerance: ±1/32" (1mm)



Scan for link to additional product information and installation instructions

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER

The ment of the first of the fi				
PROJECT:				
ENGINEER:		Mg	300 Series Industrial Supply	
CUSTOMER		222038	Grilles & Registers	
SUBMITTAL DATE:	SPEC. SYMBOL:	JAN. 2024		