GENERAL CONSTRUCTION - NODE CAMERA PROJECT CHECKLIST A Price Company RJ-45 NETWORK CONNECTION WEBSITE: WWW.PARC-CEILINGS.COM TAG: ___ CONSTRUCTION: QUANTITY: DEVICE CASING MOULDED POLYMER OUTER HOUSINGS MOULDED POLYMER STYLE: FINISH: - ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED ■ NETWORK **CONFIGURATION:** ASSEMBLY AND INSTALLATION - ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED - ALL INSTALLATION BY OTHERS AND METHODS SHOWN ☐ FIXED DOME CAMERA MOUNTING: - ALL INSTALLATION BY OTHERS AND METHODS SHOW ARE NOTIONAL - (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS - (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS ☐ FLUSH CHANNEL ☐ RECESSED CHANNEL .90 [23] - DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX) □ TRIMLESS - METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX] - PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY **DEVICE FACE FINISH:** DEVICE CASING-STANDARDS ■ BLACK POLYMER - B17 TBC: DETAILS TO BE CONFIRMED ☐ WHITE POLYMER - RAL 9016 .91 [23] ☐ BLACK - PRICE B17 ☐ WHITE - RAL 9016 ☐ ANODIZED - CLEAR SATIN DEVICE FACE ■ ANODIZED - CHAMPAGNE SATIN 1.04 [26] ■ ANODIZED - LIGHT BRONZE SATIN ANODIZED - MEDIUM BRONZE SATIN CAMERA DOME-■ ANODIZED - DARK BRONZE SATIN SIDE VIEW FRONT VIEW ■ ANODIZED - BLACK SATIN 2020-06-16 REV DATE DRAWN BY CHECKED BY ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED TOLERANCES UNLESS OTHERWISE SPECIFIED LINEAR X.X ± .06 X.XX ± .03 X.XXX ± .01 INCHES ANGULAR $X \pm 1$ $X.X \pm .5$ $X.XX \pm .25$ DEGREES PROJECT **NODE CAMERA SUBMITTAL** SHEET SIZE **BOTTOM VIEW** SUBMITTAL 272424 ISOMETRIC VIEW 1 OF 3 © COPYRIGHT PRICE INDUSTRIES 2020



