

GENERAL CONSTRUCTION - NODE DOWNLIGHT

PROJECT CHECKLIST

TAG: _____

QUANTITY: _____

BEAM ANGLE:

13° - NARROW

24° - MEDIUM

48° - WIDE

67° - EXTRA WIDE

COLOUR TEMPERATURE:

☐ 3000K

☐ 3500K

☐ 4000K

MOUNTING:

☐ FLUSH CHANNEL


☐ RECESSED CHANNEL

☐ TRIMLESS


FINISH:

☐ BLACK - B17


☐ WHITE - RAL 9016




TOP VIEW
FLUSH CHANNEL




TOP VIEW
RECESSED CHANNEL




SIDE VIEW
TRIMLESS



SIDE VIEW
FLUSH CHANNEL



SIDE VIEW
RECESSED CHANNEL



BOTTOM VIEW
TRIMLESS

CONSTRUCTION:

- LUMINAIRE HOUSING
 - o CAST ALUMINUM
 - o MOULDED POLYMER (TRIMLESS VERSION ONLY)
- HEAT SINK (TRIMLESS VERSION ONLY)
 - o EXTRUDED ALUMINUM

FINISH:

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ELECTRICAL SERVICE



- BY OTHERS, SEE PRODUCT DATASHEET FOR DETAILS

ASSEMBLY AND INSTALLATION


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:


- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE DOWNLIGHT SUBMITTAL			
SUBMITTAL NUMBER	272418	SHEET 1 OF 3	SIZE B
© COPYRIGHT PRICE INDUSTRIES 2020			


GENERAL CONSTRUCTION - CHANNEL MOUNTED




TOP VIEW
FLUSH CHANNEL



TOP VIEW
RECESSED CHANNEL



END VIEW
FLUSH CHANNEL



END VIEW
RECESSED CHANNEL



CONSTRUCTION:
- LUMINAIRE HOUSING
 o CAST ALUMINUM
 o MOULDED POLYMER (TRIMLESS VERSION ONLY)
- HEAT SINK (TRIMLESS VERSION ONLY)
 o EXTRUDED ALUMINUM

FINISH:
- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED



ELECTRICAL SERVICE
- BY OTHERS, SEE PRODUCT DATASHEET FOR DETAILS

ASSEMBLY AND INSTALLATION
- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS


NOTES:
- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE DOWNLIGHT SUBMITTAL			
SUBMITTAL NUMBER	272418	SHEET 2 OF 3	SIZE B
© COPYRIGHT PRICE INDUSTRIES 2020			

GENERAL CONSTRUCTION - TRIMLESS PLASTER-IN



ELECTRICAL DIAGRAM
TRIMLESS VERSION ONLY



CONSTRUCTION:

- LUMINAIRE HOUSING
 - o CAST ALUMINUM
 - o MOULDED POLYMER (TRIMLESS VERSION ONLY)
- HEAT SINK (TRIMLESS VERSION ONLY)
 - o EXTRUDED ALUMINUM

FINISH:

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ELECTRICAL SERVICE

- BY OTHERS, SEE PRODUCT DATASHEET FOR DETAILS

ASSEMBLY AND INSTALLATION

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY

	ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED
--	---

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES

PROJECT

DRAWING TITLE
NODE DOWNLIGHT SUBMITTAL

SUBMITTAL NUMBER	272418	SHEET 3 OF 3	SIZE B
© COPYRIGHT PRICE INDUSTRIES 2020			