

GENERAL CONSTRUCTION - NODE EMERGENCY LIGHT

PROJECT CHECKLIST

TAG: _____

QUANTITY: _____

BATTERY:

- ☐ CENTRAL BATTERY
- ☐ REMOTE BATTERY

DRIVER:

- ☐ DALI AUTOTEST
- ☐ MANUAL TEST

MOUNTING:

- ☐ FLUSH CHANNEL
- ☐ RECESSED CHANNEL
- ☐ TRIMLESS
- ☐ SURFACE MOUNT

MOUNTING ADAPTER:

- ☐ NOT REQUIRED
- ☐ 4IN ROUND/OCT DEVICE BOX
- ☐ 20MM CONDUIT JUNCTION BOX

EMERGENCY LIGHT TRIM COLOUR:


- ☐ WHITE
- ☐ BLACK

HOUSING COLOR:


- ☐ BLACK POLYMER - B17
- ☐ WHITE POLYMER - RAL 9016

DEVICE FACE FINISH:


- ☐ BLACK POLYMER - B17
- ☐ WHITE POLYMER - RAL 9016
- ☐ BLACK - PRICE B17
- ☐ WHITE - RAL 9016
- ☐ ANODIZED - CLEAR SATIN
- ☐ ANODIZED - CHAMPAGNE SATIN
- ☐ ANODIZED - LIGHT BRONZE SATIN
- ☐ ANODIZED - MEDIUM BRONZE SATIN
- ☐ ANODIZED - DARK BRONZE SATIN
- ☐ ANODIZED - BLACK SATIN




ISOMETRIC VIEW



TOP VIEW



SIDE VIEW



BOTTOM VIEW

CONSTRUCTION:

- DEVICE CASING
 - o MOULDED POLYMER
- OUTER HOUSINGS
 - o MOULDED POLYMER

FINISH:



- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE EMERGENCY LIGHT SUBMITTAL			
SUBMITTAL NUMBER		272430	SHEET 1 OF 5
© COPYRIGHT PRICE INDUSTRIES 2020			B

GENERAL CONSTRUCTION - CHANNEL MOUNTED

PARC

A Price Company

WEBSITE: WWW.PARC-CEILINGS.COM

CONSTRUCTION:

- DEVICE CASING
 - o MOULDED POLYMER
- OUTER HOUSINGS
 - o MOULDED POLYMER

FINISH:


- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:


- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED



FLUSH CHANNEL TOP VIEW





RECESSED CHANNEL TOP VIEW







FLUSH CHANNEL END VIEW

RECESSED CHANNEL END VIEW

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE EMERGENCY LIGHT SUBMITTAL			
SUBMITTAL NUMBER	272430	SHEET 2 OF 5	SIZE B
© COPYRIGHT PRICE INDUSTRIES 2020			

GENERAL CONSTRUCTION - TRIMLESS



CONSTRUCTION:

- DEVICE CASING
 - o MOULDED POLYMER
- OUTER HOUSINGS
 - o MOULDED POLYMER

FINISH:



- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION





- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE EMERGENCY LIGHT SUBMITTAL			
SUBMITTAL NUMBER	272430	SHEET 3 OF 5	SIZE B
© COPYRIGHT PRICE INDUSTRIES 2020			

GENERAL CONSTRUCTION - SURFACE MOUNT



CONSTRUCTION:

- DEVICE CASING
 - o MOULDED POLYMER
- OUTER HOUSINGS
 - o MOULDED POLYMER

FINISH:



- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:


- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE EMERGENCY LIGHT SUBMITTAL			
SUBMITTAL NUMBER		272430	SHEET 4 OF 5
© COPYRIGHT PRICE INDUSTRIES 2020			SIZE B


GENERAL CONSTRUCTION - SURFACE MOUNT (CONTINUED)




ISOMETRIC VIEW
20MM CONDUIT JUNCTION BOX



SIDE VIEW
20MM CONDUIT JUNCTION BOX



TOP VIEW
20MM CONDUIT JUNCTION BOX



BOTTOM VIEW
20MM CONDUIT JUNCTION BOX

CONSTRUCTION:

- DEVICE CASING
 - o MOULDED POLYMER
- OUTER HOUSINGS
 - o MOULDED POLYMER

FINISH:



- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE EMERGENCY LIGHT SUBMITTAL			
SUBMITTAL NUMBER	272430	SHEET 5 OF 5	SIZE B
© COPYRIGHT PRICE INDUSTRIES 2020			