GENERAL CONSTRUCTION - NODE SENSOR

PROJECT CHECKLIST

TAG: __

QUANTITY:

STYLE & CONFIGURATION:

- BACNET MULTI-SENSOR
- DALI MULTI-SENSOR
- LUTRON OCCUPANCY SENSOR

MOUNTING:

- FLUSH CHANNEL
- RECESSED CHANNEL
- □ TRIMLESS
- SURFACE MOUNT

MOUNTING ADAPTER:

- NOT REQUIRED
- □ 4IN ROUND/OCT DEVICE BOX
- 20MM CONDUIT JUNCTION BOX

DOME COLOR:

- BLACK
- WHITE

HOUSING COLOR:


- BLACK POLYMER B17
- □ WHITE POLYMER RAL 9016

DEVICE FACE FINISH:


- BLACK POLYMER B17
- WHITE POLYMER - RAL 9016
- BLACK PRICE B17
- WHITE - RAL 9016
- ANODIZED CLEAR SATIN
- ANODIZED CHAMPAGNE SATIN
- ANODIZED - LIGHT BRONZE SATIN
- ANODIZED MEDIUM BRONZE SATIN
- ANODIZED DARK BRONZE SATIN


B


ANODIZED - BLACK SATIN



С








			20		
		Price C	-		
- DEVICI o MC - OUTEF	EUCTION: E CASING OULDED PO HOUSINGS OULDED PO	3			
FINISH: - ALL HA SPECIF		MILL FINISH UN	ILESS OTHE	RWISE	
	ICAL SERVI				
CONTRO	<u>DLS</u> ROLS BY OT	HERS			
 ALL CO PARC I ALL INS ARE NO (ASSY ASSEM) 	MPONENTS JNLESS OT STALLATION DTIONAL BY OTHERS IBLED BY O HERS): PRO	STALLATION S SHOWN ARE HERWISE NOT N BY OTHERS / 6): PROVIDED B THERS DVIDED AND FI	ED AND METHOI BY PARC, FIE	DS SHOWN	
REFER - METRI - PRODL TEXTU	ENCE ONLY C DIMENSIC JCT FINISH RE; VARIAT	WN IN PAREN Y (X.XX) DNS SHOWN IN MAY VARY IN ⁻ TONS ARE WIT	I BRACKETS FONE, GLOS	[X.XX] S AND	
STAND - TBC: D		BE CONFIRME	D		
A REV		0-06-16 DATE	NPT DRAWN B		MB KED BY
\bigcirc		ALL DIMEN	ISIONS IN II IERWISE SF		LESS
T LINEA ANGUL	R X.X ±		03 X.XXX	±.01 IN) CHES GREES
PROJEC					-
DRAWIN	IG TITLE				
	NOD	E SENSOF	R SUBMIT	TAL	
SUBMIT		272421	1	SHEET	SIZE
NUMBI			-	2 OF 5	В





С



CONSTRUCTION: - DEVICE CASING - MOULDED POLYMER - OUTER HOUSINGS - MOULDED POLYMER

FINISH: - ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ELECTRICAL SERVICE - SEE DEVICE DATASHEET

CONTROLS - CONTROLS BY OTHERS

ASSEMBLY AND INSTALLATION


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERWIDE NOTED
 ALL INSTALLATION BY OTHERS AND METHODS SHOWN
 ARE NOTIONAL
 (ASSY BY OTHERS): PROVIDED BY PARC, FIELD
 ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

- NOTES: DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX) METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY
- STANDARDS TBC: DETAILS TO BE CONFIRMED

					_	
	A	2020)-06-16	NPT		ИВ
	REV		ATE	DRAWN B		KED BY
	\bigcirc		ALL DIMEN	ISIONS IN IN IERWISE SF	NCHES UN	
<u> </u>	T LINEAI ANGULA	R X.X ±	S UNLESS O .06 X.XX ± . 1 X.X ± .	03 X.XXX	±.01 IN) CHES GREES
	PROJEC	т				
	DRAWIN				T A I	
		NOD	E SENSOF	(20 RIVII I	IAL	
	SUBMIT NUMBE		272421	1	SHEET 3 OF 5	SIZE D
	©	COPYRIGI	HT PRICE IND	USTRIES 20)20	Ы

Ø

D





- CONSTRUCTION: DEVICE CASING MOULDED POLYMER OUTER HOUSINGS MOULDED POLYMER

FINISH: - ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED


ELECTRICAL SERVICE - SEE DEVICE DATASHEET

CONTROLS - CONTROLS BY OTHERS

- ASSEMBLY AND INSTALLATION ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

- NOTES: DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX) METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX] PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS TBC: DETAILS TO BE CONFIRMED

Α	2020-06-16		NPT	SMB	
REV	D	ATE	DRAWN BY	CHECKED BY	
$ \bigoplus$	ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED				
		.06 X.XX ± .	THERWISE SPE .03 X.XXX ± .0	-	
LINEA					
ANGUL		1 X.X ± .	5 X.XX ± .25		
	AR X ±	1 X.X ± .	5 X.XX ± .25		
ANGUL	AR X ±	1 X.X ± .	5 X.XX ± .25		
ANGUL	AR X ±	1 X.X ± .	5 X.XX ± .25		
ANGUL	AR X ± CT IG TITLE		5 X.XX ± .25	5 DEGREES	
ANGUL	AR X± CT IG TITLE NOD TAL		R SUBMITTA	5 DEGREES	



	PARCA A Price Company WEBSITE: WWW.PARC-CEILINGS.COM
GS	OMUDED POLYMER OUTER HOUSINGS MOULDED POLYMER
	FINISH: - ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED
	ELECTRICAL SERVICE - SEE DEVICE DATASHEET
	CONTROLS - CONTROLS BY OTHERS
	ASSEMBLY AND INSTALLATION - ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED - ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL - (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS - (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS
ALLED	NOTES: - DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX) - METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX] - PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
	- TBC: DETAILS TO BE CONFIRMED
	A 2020-06-16 NPT SMB
	REV DATE DRAWN BY CHECKED BY Image: Checked By All Dimensions in Inches Unless OTHERWISE SPECIFIED All Dimensions in Inches Unless
	TOLERANCES UNLESS OTHERWISE SPECIFIED LINEAR X.X ± .06 X.XX ± .03 X.XXX ± .01 INCHES
	ANGULAR X ± 1 X.X ± .5 X.XX ± .25 DEGREES PROJECT
·	DRAWING TITLE NODE SENSOR SUBMITTAL
	SUBMITTAL 272421 SHEET SIZE 5 OF 5
E	© COPYRIGHT PRICE INDUSTRIES 2020