

GENERAL CONSTRUCTION - NODE SPOTLIGHT

PROJECT CHECKLIST

TAG: \_\_\_\_\_

QUANTITY: \_\_\_\_\_

BEAM ANGLE:

- ☐ 13° - NARROW
- ☐ 24° - MEDIUM
- ☐ 48° - WIDE
- ☐ 67° - EXTRA WIDE

COLOUR TEMPERATURE:

- ☐ 3000K
- ☐ 3500K
- ☐ 4000K

MOUNTING:

- ☐ FLUSH CHANNEL
- ☐ RECESSED CHANNEL
- ☐ TRIMLESS
- ☐ SURFACE MOUNT

MOUNTING ADAPTER:


- ☐ NOT REQUIRED
- ☐ 4IN ROUND/OCT DEVICE BOX
- ☐ 20MM CONDUIT JUNCTION BOX

HOUSING COLOR:


- ☐ BLACK POLYMER - B17
- ☐ WHITE POLYMER - RAL 9016

FINISH:


- ☐ BLACK - B17
- ☐ WHITE - RAL 9016




ISOMETRIC VIEW



FRONT VIEW



SIDE VIEW



TOP VIEW

CONSTRUCTION:

- LUMINAIRE HOUSING
  - o CAST ALUMINUM
- LUMINAIRE BASE
  - o MOULDED POLYMER

FINISH:

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ELECTRICAL SERVICE



- BY OTHERS, SEE PRODUCT DATASHEET FOR DETAILS

ASSEMBLY AND INSTALLATION


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:


- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE SPOTLIGHT SUBMITTAL			
SUBMITTAL NUMBER	272419		SHEET 1 OF 5
© COPYRIGHT PRICE INDUSTRIES 2020			B


GENERAL CONSTRUCTION - CHANNEL MOUNTED




FLUSH CHANNEL TOP VIEW



RECESSED CHANNEL TOP VIEW



FLUSH CHANNEL END VIEW



RECESSED CHANNEL END VIEW

**CONSTRUCTION:**

- LUMINAIRE HOUSING
  - o CAST ALUMINUM
- LUMINAIRE BASE
  - o MOULDED POLYMER

**FINISH:**

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**ELECTRICAL SERVICE**



- BY OTHERS, SEE PRODUCT DATASHEET FOR DETAILS

**ASSEMBLY AND INSTALLATION**


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**


- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
			
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE SPOTLIGHT SUBMITTAL			
SUBMITTAL NUMBER	272419		SHEET 2 OF 5
© COPYRIGHT PRICE INDUSTRIES 2020			SIZE B


GENERAL CONSTRUCTION - TRIMLESS




FRONT VIEW



BOTTOM VIEW





ISOMETRIC VIEW




CEILING CROSS SECTION


- CONSTRUCTION:**
- LUMINAIRE HOUSING
    - o CAST ALUMINUM
  - LUMINAIRE BASE
    - o MOULDED POLYMER
- FINISH:**
- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED
- ELECTRICAL SERVICE**
- BY OTHERS, SEE PRODUCT DATASHEET FOR DETAILS
- ASSEMBLY AND INSTALLATION**
- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
  - ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
  - (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
  - (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS
- NOTES:**
- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
  - METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
  - PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
  - TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE SPOTLIGHT SUBMITTAL			
SUBMITTAL NUMBER		272419	SHEET 3 OF 5
© COPYRIGHT PRICE INDUSTRIES 2020			SIZE B


GENERAL CONSTRUCTION - SURFACE MOUNT




SIDE VIEW  
4IN ROUND/OCT BOX



SIDE VIEW  
4IN ROUND/OCT BOX



TOP VIEW  
4IN ROUND/OCT BOX



BOTTOM VIEW  
4IN ROUND/OCT BOX

**CONSTRUCTION:**

- LUMINAIRE HOUSING
  - o CAST ALUMINUM
- LUMINAIRE BASE
  - o MOULDED POLYMER

**FINISH:**

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**ELECTRICAL SERVICE**


- BY OTHERS, SEE PRODUCT DATASHEET FOR DETAILS

**ASSEMBLY AND INSTALLATION**


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**


- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE SPOTLIGHT SUBMITTAL			
SUBMITTAL NUMBER		272419	SHEET 4 OF 5
© COPYRIGHT PRICE INDUSTRIES 2020			SIZE B


GENERAL CONSTRUCTION - SURFACE MOUNT (CONTINUED)




ISOMETRIC VIEW  
20MM CONDUIT JUNCTION BOX



TOP VIEW  
20MM CONDUIT JUNCTION BOX





SIDE VIEW  
20MM CONDUIT JUNCTION BOX



BOTTOM VIEW  
20MM CONDUIT JUNCTION BOX

- CONSTRUCTION:**
- LUMINAIRE HOUSING
    - o CAST ALUMINUM
  - LUMINAIRE BASE
    - o MOULDED POLYMER
- FINISH:**
- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED
- ELECTRICAL SERVICE**
- BY OTHERS, SEE PRODUCT DATASHEET FOR DETAILS
- ASSEMBLY AND INSTALLATION**
- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
  - ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
  - (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
  - (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS
- NOTES:**
- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
  - METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
  - PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
  - TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE SPOTLIGHT SUBMITTAL			
SUBMITTAL NUMBER		272419	SHEET 5 OF 5
© COPYRIGHT PRICE INDUSTRIES 2020			SIZE B