





**FFU
Portable Exhaust Fan Filter Unit**



DETAIL A



STANDARD CONSTRUCTION:

- TWO RIGID & TWO LOCKING CASTOR WHEELS PER UNIT
- INSULATION BETWEEN UNIT AND THE METAL CART
- GALVANIZED STEEL CONSTRUCTION

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT: Portable Exhaust Fan Filter Unit		PRICE
ENGINEER:		
CUSTOMER:		PXY72838
SUBMITTAL DATE:	REVISION: 0	03/31/2020
		FFU PORTABLE EXHAUST FAN FILTER UNIT

**Fan Filter Unit
Retrofit Ducted Replacement Faces
For Exhaust Application**



FACE CONSTRUCTION:

- ALUMINUM (EXTRUDED FRAME)
- STAINLESS STEEL

FACE FINISH:

- PREPARED ALUMINUM (WASHED)
- WHITE POWDER COAT - B12
- #4 STAINLESS STEEL

IMPERIAL UNITS (IN)

UNIT SIZE	W	L
<input type="checkbox"/> 2x4	23.625	47.625
<input type="checkbox"/> 2x3	23.625	35.625
<input type="checkbox"/> 2x2	23.625	23.625

SI UNITS (mm)

UNIT SIZE	W	L
<input type="checkbox"/> 2x4	600	1210
<input type="checkbox"/> 2x3	600	905
<input type="checkbox"/> 2x2	600	600





NOTE:
For ducted applications, reference FFU Service and Installation manual for balancing procedure.

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT: FFU Retrofit Ducted Replacement Face		PRICE
ENGINEER: <i>KE</i>		
CUSTOMER:		FFU RETROFIT DUCTED REPLACEMENT FACES
SUBMITTAL DATE:	REVISION: 0	PXY72888 04/07/2020

**Fan Filter Unit
Retrofit Ducted Replacement Faces
For Recirculation & Exhaust Application**



FACE CONSTRUCTION:

- ALUMINUM (EXTRUDED FRAME)
- STAINLESS STEEL

FACE FINISH:

- PREPARED ALUMINUM (WASHED)
- WHITE POWDER COAT - B12
- #4 STAINLESS STEEL

MANUAL QUADRANT DAMPER CONSTRUCTION:

- GALVANIZED STEEL

IMPERIAL UNITS (IN)

UNIT SIZE	W	L
<input type="checkbox"/> 2x4	23.625	47.625
<input type="checkbox"/> 2x3	23.625	35.625
<input type="checkbox"/> 2x2	23.625	23.625

SI UNITS (mm)

UNIT SIZE	W	L
<input type="checkbox"/> 2x4	600	1210
<input type="checkbox"/> 2x3	600	905
<input type="checkbox"/> 2x2	600	600



NOTE:
For ducted applications, reference FFU Service and Installation manual for balancing procedure.

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT: FFU Retrofit Ducted Replacement Face		PRICE
ENGINEER: <i>KE</i>		
CUSTOMER:		FFU RETROFIT DUCTED REPLACEMENT FACES
SUBMITTAL DATE:	REVISION: 0	PXY72948 04/07/2020