

GENERAL CONSTRUCTION - NODE CEILING ROSE

PROJECT CHECKLIST

TAG: _____

QUANTITY: _____

STYLE:

- ☐ PENDANT LIGHT
- ☐ BLANK
- ☐ CUSTOM

CONFIGURATION:

- ☐ BLANK
- ☐ 1.5MM WIRE
- ☐ HOLE SIZE: _____

MOUNTING:

- ☐ FLUSH CHANNEL
- ☐ RECESSED CHANNEL
- ☐ TRIMLESS
- ☐ SURFACE MOUNT

MOUNTING ADAPTER:


- ☐ NOT REQUIRED
- ☐ 4IN ROUND/OCT DEVICE BOX
- ☐ 20MM CONDUIT JUNCTION BOX

HOUSING COLOR:


- ☐ BLACK POLYMER - B17
- ☐ WHITE POLYMER - RAL 9016

DEVICE FACE FINISH:


- ☐ BLACK POLYMER - B17
- ☐ WHITE POLYMER - RAL 9016
- ☐ BLACK - PRICE B17
- ☐ WHITE - RAL 9016
- ☐ ANODIZED - CLEAR SATIN
- ☐ ANODIZED - CHAMPAGNE SATIN
- ☐ ANODIZED - LIGHT BRONZE SATIN
- ☐ ANODIZED - MEDIUM BRONZE SATIN
- ☐ ANODIZED - DARK BRONZE SATIN
- ☐ ANODIZED - BLACK SATIN




ISOMETRIC VIEW



TOP VIEW



SIDE VIEW



BOTTOM VIEW

CUTOUT FOR PASS THROUGH OF
PENDANT LIGHT CABLE
(PENDANT LIGHT BY OTHERS)

CONSTRUCTION:

- DEVICE CASING
 - o MOULDED POLYMER
- OUTER HOUSINGS
 - o MOULDED POLYMER

FINISH:



- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE CEILING ROSE SUBMITTAL			
SUBMITTAL NUMBER	272423	SHEET 1 OF 5	SIZE B
© COPYRIGHT PRICE INDUSTRIES 2020			

GENERAL CONSTRUCTION - CHANNEL MOUNTED

PARC

A Price Company

WEBSITE: WWW.PARC-CEILINGS.COM

CONSTRUCTION:

- DEVICE CASING
 - o MOULDED POLYMER
- OUTER HOUSINGS
 - o MOULDED POLYMER

FINISH:


- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:


- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED



FLUSH CHANNEL TOP VIEW




RECESSED CHANNEL TOP VIEW





FLUSH CHANNEL END VIEW

DEVICE INSTALLS INTO NODE HOUSING (ASSY BY OTHERS)







RECESSED CHANNEL END VIEW



DEVICE INSTALLS INTO NODE HOUSING (ASSY BY OTHERS)

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE CEILING ROSE SUBMITTAL			
SUBMITTAL NUMBER	272423	SHEET 2 OF 5	SIZE
© COPYRIGHT PRICE INDUSTRIES 2020			B


GENERAL CONSTRUCTION - TRIMLESS



- CONSTRUCTION:**
- DEVICE CASING
 - o MOULDED POLYMER
 - OUTER HOUSINGS
 - o MOULDED POLYMER
- FINISH:**
- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED
- ASSEMBLY AND INSTALLATION**
- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
 - ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
 - (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
 - (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS
- NOTES:**
- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
 - METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
 - PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
 - TBC: DETAILS TO BE CONFIRMED


A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE CEILING ROSE SUBMITTAL			
SUBMITTAL NUMBER		272423	SHEET 3 OF 5
© COPYRIGHT PRICE INDUSTRIES 2020			SIZE B

GENERAL CONSTRUCTION - SURFACE MOUNT




ISOMETRIC VIEW
4IN ROUND/OCT BOX

SIDE VIEW
4IN ROUND/OCT BOX



TOP VIEW
4IN ROUND/OCT BOX



BOTTOM VIEW
4IN ROUND/OCT BOX

CONSTRUCTION:

- DEVICE CASING
 - o MOULDED POLYMER
- OUTER HOUSINGS
 - o MOULDED POLYMER

FINISH:



- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:


- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE CEILING ROSE SUBMITTAL			
SUBMITTAL NUMBER		272423	SHEET 4 OF 5
© COPYRIGHT PRICE INDUSTRIES 2020			SIZE B


GENERAL CONSTRUCTION - SURFACE MOUNT (CONTINUED)




ISOMETRIC VIEW
20MM CONDUIT JUNCTION BOX



SIDE VIEW
20MM CONDUIT JUNCTION BOX



TOP VIEW
20MM CONDUIT JUNCTION BOX



BOTTOM VIEW
20MM CONDUIT JUNCTION BOX

CONSTRUCTION:

- DEVICE CASING
 - o MOULDED POLYMER
- OUTER HOUSINGS
 - o MOULDED POLYMER

FINISH:



- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED

A	2020-06-16	NPT	SMB
REV	DATE	DRAWN BY	CHECKED BY
		ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES
PROJECT			
DRAWING TITLE			
NODE CEILING ROSE SUBMITTAL			
SUBMITTAL NUMBER	272423	SHEET 5 OF 5	SIZE B
© COPYRIGHT PRICE INDUSTRIES 2020			